

2008  
*Giggle*





## THE MODERN FACE OF FUN

**Y**es! Your friend has finally agreed to go with you to the music festival. You've got the tickets, the tent, the whole thing planned down to the finest detail. Nothing can possibly go wrong. Apart from one slight problem. Where are you going to put everything?

Giggle owners don't have this problem. What they do have is a truly massive 33 litres of storage space under that side-opening seat. That's the beauty of Giggle's brilliantly retro boxy styling. You can literally just stow all your kit straight in there, hit the road, and still have room to bring loads of extra new stuff back. Which you'll buy with the money you've saved on fuel, because fuel-injected four-stroke engines don't need much to take you where you need to go.

You'll be 'Gigging' all the way to the campsite. And all the way back.





► Massive underseat storage means those trips out and about aren't limited by what you can carry.



► Mid-rise bars set up a laid-back riding position that's perfectly in tune with the direct steering.




► Carve out your own individual niche and make a style statement with Giggle's cool retro look.



► Motorcycle-style front forks and fat, all-weather 10" tyres promise the perfect mix of comfort and security.



► Chances are you'll have the smallest carbon footprint in town with the emissions from this exhaust.



► Giggle is unique in the Yamaha 50cc scooter range. It's the only model with a fuel-injected four-stroke engine. That means it runs on unleaded petrol only, with no two-stroke oil to worry about. It also means beautifully quiet running and amazing fuel economy. Good news for the planet. Your planet.



# Giggle

www.yamaha-motor.co.uk



Touching Your Heart



### Colour


California Yellow (LRYM2/BWC1)

Midnight Black (SMX)

### Engine

Type:	4-stroke, SOHC, 3valve, forward-inclined single cylinder	Overall size (L x W x H):	1915 x 695 x 1040 mm
Cooling system:	Liquid cooled	Seat height:	750 mm
Displacement:	49cm <sup>3</sup>	Dry weight:	87 kg
Bore x Stroke:	38.0 x 43.6 mm	Wheelbase:	1280 mm
Compression ratio:	12.0 : 1	Min. ground clearance:	115 mm
Maximum power:	2.77 kW @ 7500 rpm	Front suspension system:	Telescopic fork
Maximum torque:	3.66 Nm @ 7000 rpm	Stroke:	65 mm
Lubrication system:	Wet sump	Rear suspension:	Unit swing
Carburettor:	Electronic Fuel Injection	Stroke:	55 mm
Ignition system:	T.C.I.	Front Brake:	Drum Ø 110 mm
Starter system:	Electric and kick	Rear Brake:	Drum Ø 110 mm
Fuel tank capacity:	4,5 L	Front Tyre:	120/90-10
Transmission system:	Automatic with V-Belt	Rear Tyre:	120/90-10

### Chassis



Yamaha recommend the use of genuine Yamaha accessories and clothing. Contact your local dealer or visit our web site:

[www.yamaha-motor-acc.com](http://www.yamaha-motor-acc.com)

